

SABINE VALLEY POWER PLUS SHOW FEED (LANGFORD SHOW FEED)

2109

MEDICATED

To be used as a fitting feed for beef animals, and for use as a complement to forage for beef animals from 3 months to 800 lbs. (about 12 months). For control of coccidiosis caused by

Eimeria bovis and *Eimeria zuernii*.

ACTIVE DRUG INGREDIENT

Lasalocid.....34 gm/ton

- Contains TCF Fiber Buster 75-150TM, a patented mixture of enzymes and feed ingredients which aid in the digestion of carbohydrates, both fiber and starch.
- Has a high level of grain and lower protein level to promote finish on heavier cattle.
- Has high vitamin levels to insure optimum immune function.

GUARANTEED ANALYSIS

Crude Protein – (min)	11.0%
Crude Fat – (min)	3.0%
Crude Fiber – (max)	12.0%
Calcium – (min)	0.60%
Calcium – (max)	1.0%
Phosphorous – (min)	0.25%
Salt – (min)	0.50%
Salt – (max)	0.70%
Potassium – (min)	0.50%
Vitamin A – (min)	7500 IU/LB
Vitamin E - (min)	20 IU/LB

INGREDIENT STATEMENT

Grain products, Plant protein products, Processed Grain By-Products, 14-16 % Roughage Products, Calcium Carbonate, Salt, Magnesium Oxide, Zinc Methionine Complex, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate, Zinc Sulfate, Manganese Sulfate, Potassium Chloride, Sulfur, Copper Sulfate, Ferrous Sulfate, Sodium Selenite, Cobalt Sulfate, Calcium Carbonate, Ethylenediamine Dihydriodide, Vitamin A Supplement, Vitamin D₃ Supplement, Vitamin E Supplement, Propionic Acid, Urea, Dried Lactobacillus acidophilus fermentation product, Vegetable oil, Dried Enterococcus faecium fermentation product, Dextrose, Sodium aluminosilicate, Beta Glucan (encapsulating agent), diastatic salt, cane molasses, Dried Aspergillus oryzae fermentation product, and Fumaric Acid (as a preservative).

FEEDING DIRECTIONS

Feed 1 lb/37.5 lbs. of body weight (1 mg/ 2.2-lb body weight of Lasalocid) to a maximum of 21.2 lbs (360 mg Lasalocid/head/day) split into two or more feedings. Feed continuously up to 800 lbs. body weight (363.6 Kg). Provide fresh water and good quality hay at all times.

WARNING: A withdrawal period has not been established for this product in pre-ruminating cattle. Do not use in calves to be processed for veal. Do not feed to sheep, contains supplemental copper.

Caution: The safety of lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feeds containing Lasalocid as ingestion may be fatal.

NOTE: To reach the higher level of intakes the animals must be adapted to grain feeding over a 2-3 week period. Feeding multiple times per day is recommended for best results.

Manufactured By:

SABINE VALLEY FEEDS

3001 Bois D'Arc
Greenville, Texas 75401

Net Wt. 50 lbs. (22.7 Kg)